



FIG. 1
BACKGROUND ART





FIG. 2
BACKGROUND ART






FIG. 3 A






FIG. 3 B





SERIAL NO: 09/765,608
INV: YOSHINORI HAYASHI, ET AL.
DOCKET # 202114US-2
SHEET 3 OF 15

FIG. 4




FIG.5

COMPARISON EXAMPLE	L (μm)	Wm (μm)	Ws (μm)	Ws/L	Wm/Ws	RESOLUTION (dpi)
EMBODIMENT 1	42.3	42.3	42.3	1.00	1.00	600
EMBODIMENT 2	42.3	50.2	51.2	1.21	0.98	600
EMBODIMENT 3	42.3	58.2	76.6	1.81	0.76	600
EMBODIMENT 4	42.3	89.4	105.8	2.50	0.84	600
EMBODIMENT 5	42.3	74.0	148.1	3.50	0.50	600
EMBODIMENT 6	21.2	53.3	59.2	1.40	0.90	600
EMBODIMENT 7	21.2	24.9	25.6	1.21	0.97	1200
EMBODIMENT 8	21.2	26.7	29.7	1.40	0.90	1200
EMBODIMENT 9	21.2	29.2	38.4	1.81	0.76	1200
EMBODIMENT 10	21.2	45.1	53.0	2.50	0.84	1200
		28.6	95.3	4.49	0.30	1200




FIG. 6





FIG. 7






FIG.8





FIG.9






FIG. 10





FIG. 11






FIG. 12





FIG. 13






FIG. 14





FIG. 15






FIG. 16






FIG. 17





SERIAL NO: 09/765,608
INV: YOSHINORI HAYASHI, ET AL.
DOCKET # 202114US-2
SHEET 11 OF 15

FIG. 18





FIG. 19






FIG.20





FIG.21



DC81
NOV 23 2002
OIP
PATENT & TRADEMARK RECEIPT
CANCELLED

NOV 25 2002
OIP
PATENT & TRADEMARK RECEIPT

SERIAL NO: 09/765,608
INV: YOSHINORI HAYASHI, ET AL.
DOCKET # 202114US-2
SHEET 13 OF 15

FIG.22





FIG.23






FIG.24





FIG.25






FIG.26




FIG.27

